

Siglent Technologies Poland Price List 2024
1) PRICE VALIDITY: FROM 15th of February 2024 to 30th of April 2024

Product	Series	Model	Specifications	Recommended Price on website [Zloty]	Minimum Recommended Retailing Price (Euro/NET)		
		SDS5034X	350 MHz; 4 channels; 5 GSa/s; 250 M memory depth; 480,000 wfms waveform capture rate; 10.1" display (1024*600 pixels); SPO technology	12 460,00 PLN	€ 2 869,00		
		SDS5054X	500 MHz; 4 channels; 5 GSa/s; 250 M memory depth; 480,000 wfms waveform capture rate; 10.1" display (1024*600 pixels); SPO technology	21 530,00 PLN	€ 4 959,00		
		SDS5104X	1 GHz; 4 channels; 5 GSa/s; 250 M memory depth; 480,000 wfms waveform capture rate; 10.1" display (1024*600 pixels); SPO technology	27 610,00 PLN	€ 6 359,00		
	SDS5000X Options	SDS-5000X-FG	25 MHz USB Function/Arbitrary Waveform Generator (Software)	1 080,00 PLN	€ 249,00		
		SAG1021I	25 MHz isolated USB function/arbitrary waveform generator, 125 Msa/s, 16 Kpts Arb Wave Length, Insulation Voltage, ±42 Vpk (Hardware)	600,00 PLN	€ 139,00		
		SDS-5000X-16LA	MSO function software for SDS5000X oscilloscope, 16-channel, 1.25 GSa/s, 62.5 Mpts, not including Logic Probe	1 600,00 PLN	€ 369,00		
		SPL2016	Logic Probe, 16-channel	1 450,00 PLN	€ 335,00		
		SDS-5000X-PA	Power Analysis: Power Quality, Current Harmonics, Inrush Current, Switching Loss, Slew Rate, Modulation, Output Ripple, Turn On/Off, Transient Response, PSRR, Efficiency	3 300,00 PLN	€ 759,00		
		SDS-5000X-Flexray	FlexRay serial triggering and decoding, software license	1 260,00 PLN	€ 289,00		
		SDS-5000X-MIL1553B	MIL-STD-1553B serial triggering and decoding, software license	1 260,00 PLN	€ 289,00		
		SDS-5000X-CANFD	CAN FD serial triggering and decoding, software license	1 260,00 PLN	€ 289,00		
		SDS-5000X-I2S	I2S serial triggering and decoding, software license	1 260,00 PLN	€ 289,00		
		SDS-5000X-SENT	SENT serial triggering and decoding, software license	1 260,00 PLN	€ 289,00		
		SDS-5000X-Manchester	Manchester decoding, software license	1 260,00 PLN	€ 289,00		
		SDS-5000X-ARINC	ARINC 429 decode (SW)	2 040,00 PLN	€ 469,00		

	SAP1000	Active Probe, 1 GHz	3 770,00 PLN	€ 869,00			
	SDS5000X-2BW05	Upgrade 350 MHz to 500 MHz (2-CH model);350 MHz model can not be upgraded to 1 GHz,software license	12 290,00 PLN	€ 2 829,00			
	SDS5000X-4BW05	Upgrade 350 MHz to 500 MHz (4-CH model);350 MHz model can not be upgraded to 1 GHz,software license	13 110,00 PLN	€ 3 019,00			
	SDS5000X-2BW10	Upgrade 500MHz to 1 GHz (2-CH model),software license	5 900,00 PLN	€ 1 359,00			
	SDS5000X-4BW10	Upgrade 500MHz to 1 GHz (4-CH model),software license	8 940,00 PLN	€ 2 059,00			
SDS3000X HD	SDS3034X HD	350MHz, 4 channels, 4GSa/s, 12-bit high resolution, 400Mpts memory depth mixed signal oscilloscope; 10.1" touch screen	14 680,00 PLN	€ 3 380,00			
	SDS3054X HD	500MHz, 4 channels, 4GSa/s, 12-bit high resolution, 400Mpts memory depth mixed signal oscilloscope; 10.1" touch screen	20 320,00 PLN	€ 4 680,00			
	SDS3104X HD	1GHz, 4 channels, 4GSa/s, 12-bit high resolution, 400Mpts memory depth mixed signal oscilloscope; 10.1" touch screen	25 970,00 PLN	€ 5 980,00			
SDS3000X HD options	SDS3000HD-FG	50MHz waveform generator (software), need to use with SAG1021I	1 300,00 PLN	€ 299,00			
	SAG1021I	Isolated USB function/arbitrary waveform generator,125 Msa/s,16 kpts Arb Wave Length,Insulation Voltage, ±42 Vpk (Hardware)	600,00 PLN	€ 139,00			
	SDS3000HD-16LA	16 digital channels (software), need to use with SPL2016	1 730,00 PLN	€ 399,00			
	SPL2016	Logic Probe, 16-channel, 500MSa/s	1 450,00 PLN	€ 335,00			
	SDS3000HD-PA	Power Analysis (software)	3 690,00 PLN	€ 849,00			
	DF2001A	Deskew fixture for voltage and current probes	950,00 PLN	€ 219,00			
	SDS3000HD-I2S	I2S trigger & decode (software)	1 430,00 PLN	€ 329,00			
	SDS3000HD-1553B	MIL-STD-1553B trigger & decode (software)	1 430,00 PLN	€ 329,00			
	SDS3000HD-FlexRay	FlexRay trigger & decode (software)	1 430,00 PLN	€ 329,00			
	SDS3000HD-CANFD	CAN FD trigger & decode (software)	1 430,00 PLN	€ 329,00			
	SDS3000HD-SENT	SENT trigger & decode (software)	1 430,00 PLN	€ 329,00			
	SDS3000HD-Manch	Manchester decode (software)	1 430,00 PLN	€ 329,00			
	SDS3000HD-ARINC	ARINC429 trigger & decode (software)	2 470,00 PLN	€ 569,00			
	SDS3000HD-BW3T5	350 MHz to 500 MHz bandwidth upgrade (software)	7 340,00 PLN	€ 1 690,00			
	SDS3000HD-BW3TA	350 MHz to 1 GHz bandwidth upgrade (software)	14 680,00 PLN	€ 3 380,00			
	SDS3000HD-BW5TA	500 MHz to 1 GHz bandwidth upgrade (software)	7 340,00 PLN	€ 1 690,00			
SDS2000X HD	SDS2104X HD	100MHz, 4 channels, 2GSa/s, 12-bit high resolution, 200Mpts memory depth mixed signal oscilloscope	8 160,00 PLN	€ 1 880,00			
	SDS2204X HD	200MHz, 4 channels, 2GSa/s, 12-bit high resolution, 200Mpts memory depth mixed signal oscilloscope	9 940,00 PLN	€ 2 288,00			
	SDS2354X HD	350MHz, 4 channels, 2GSa/s, 12-bit high resolution, 200Mpts memory depth mixed signal oscilloscope	12 510,00 PLN	€ 2 880,00			
SDS2000X HD Options	SDS2000HD-FG	25MHz built-in function generator option (software)	990,00 PLN	€ 228,00			
	SDS2000HD-16LA	MSO function (software), use with SPL2016 probe	1 030,00 PLN	€ 238,00			
	SPL2016	Logic Probe, 16-channel, 500MSa/s	1 450,00 PLN	€ 335,00			
	SDS2000HD-PA	Power Analysis: Power Quality, Current Harmonics, Inrush Current, Switching Loss, Slew Rate, Modulation, Output Ripple, Turn On/Off, Transient Response, PSRR, Efficiency	1 470,00 PLN	€ 338,00			
	DF2001A	Deskew fixture for voltage and current probes	950,00 PLN	€ 219,00			
	SDS2000HD-I2S	I2S trigger & decode (SW)	1 120,00 PLN	€ 258,00			
	SDS2000HD-1553B	MIL-STD-1553B trigger & decode (SW)	1 120,00 PLN	€ 258,00			
	SDS2000HD-FlexRay	FlexRay trigger & decode (SW)	1 120,00 PLN	€ 258,00			
	SDS2000HD-CANFD	CAN FD trigger & decode (SW)	1 120,00 PLN	€ 258,00			

	SDS2000HD-SENT	SENT trigger & decode (SW)	1 120,00 PLN	€ 258,00			
	SDS2000HD-Manch	Manchester decode (SW)	1 120,00 PLN	€ 258,00			
	SDS2000HD-BW1T2	Upgrade bandwidth from 100 MHz to 200 MHz	3 560,00 PLN	€ 820			
	SDS2000HD-BW1T3	Upgrade bandwidth from 100 MHz to 350 MHz	6 900,00 PLN	€ 1 590			
	SDS2000HD-BW1T5	Upgrade bandwidth from 100 MHz to 500 MHz	11 680,00 PLN	€ 2 690			
	SDS2000HD-BW2T3	Upgrade bandwidth from 200 MHz to 350 MHz	3 340,00 PLN	€ 770			
	SDS2000HD-BW2T5	Upgrade bandwidth from 200 MHz to 500 MHz	8 160,00 PLN	€ 1 880			
	SDS2000HD-BW3T5	Upgrade bandwidth from 350 MHz to 500 MHz	4 780,00 PLN	€ 1 100			
SDS2000X Plus	SDS2102X Plus	100MHz; 2 channels; 2GSa/s; 200Mpts memory depth; 120,000wfm/s waveform capture rate; 10.1" Touch Screen (1024*600 pixels); SPO technology	3 900,00 PLN	€ 899,00			
	SDS2104X Plus	100MHz; 4 channels; 2GSa/s; 200Mpts memory depth; 120,000wfm/s waveform capture rate; 10.1" Touch Screen (1024*600 pixels); SPO technology	5 210,00 PLN	€ 1 199,00			
	SDS2204X Plus	200MHz; 4 channels; 2GSa/s; 200Mpts memory depth; 120,000wfm/s waveform capture rate; 10.1" Touch Screen (1024*600 pixels); SPO technology	8 250,00 PLN	€ 1 899,00			
	SDS2354X Plus	350MHz; 4 channels; 2GSa/s; 200Mpts memory depth; 120,000wfm/s waveform capture rate; 10.1" Touch Screen (1024*600 pixels); SPO technology	11 290,00 PLN	€ 2 599,00			
SDS2000X Plus Options	SDS2000XP-2BW03	Upgrade SDS2102X Plus bandwidth to 350 MHz	3 040,00 PLN	€ 699,00			
	SDS2000XP-4BW02	Upgrade SDS2104X Plus bandwidth to 200 MHz	4 340,00 PLN	€ 999,00			
	SDS2000XP-4BW03	Upgrade SDS2204X Plus bandwidth to 350 MHz	4 340,00 PLN	€ 999,00			
	SDS2000XP-4BW05	Upgrade SDS2354X Plus bandwidth to 500 MHz (Only two channels)	4 340,00 PLN	€ 999,00			
	SDS2000XP-FG	Software license, Built-in 50 MHz single channel arbitrary/function waveform generator	890,00 PLN	€ 205,00			
	SPL2016	Logic Probe for SDS2000X Plus series , 16-channel, 500MSa/s, 50 Mpts/ch	1 450,00 PLN	€ 335,00			
	SDS2000XP-16LA	MSO function software for SDS2000X Plus oscilloscope, not include Logic Probe	670,00 PLN	€ 155,00			
	SDS2000XP-PA	Power analysis Software for the SDS2000X Plus Oscilloscopes	1 040,00 PLN	€ 239,00			
	SDS-2000XP-SENT	SENT serial triggering and decoding, software license	1 110,00 PLN	€ 255,00			
	SDS-2000XP-Manchester	Manchester decoding, software license	1 110,00 PLN	€ 255,00			
	SDS2000XP-Flexray	FlexRay serial triggering and decoding,software license	1 110,00 PLN	€ 255,00			
	SDS2000XP-MIL1553B	MIL-STD-1553B serial triggering and decoding,software license	1 110,00 PLN	€ 255,00			
	SDS2000XP-CANFD	CAN FD serial triggering and decoding,software license	1 110,00 PLN	€ 255,00			
SDS2000XP-I2S	I2S serial triggering and decoding,software license	1 110,00 PLN	€ 255,00				
SDS2000X-E	SDS2202X-E	200 MHz;2 channels; 2 GSa/s; 28 M memory depth; 400,000 wfm/s waveform capture rate; 7" display (800*480 pixels); SPO technology,1 Mpts FFT. Serial bus triggering and decode (Standard), supports IIC, SPI, UART, RS232, CAN, and LIN	2 340,00 PLN	€ 539,00			
	SDS2352X-E	350 MHz;2 channels; 2 GSa/s; 28 M memory depth; 400,000 wfm/s waveform capture rate; 7" display (800*480 pixels); SPO technology,1 Mpts FFT. Serial bus triggering and decode (Standard), supports IIC, SPI, UART, RS232, CAN, and LIN	3 170,00 PLN	€ 729,00			
	SDS2000X-E-FG	Software; 25 MHz Function/Arbitrary Waveform Generator	470,00 PLN	€ 109,00			
	SAG1021I	Hardware; 25 MHz Function/Arbitrary Waveform Generator	600,00 PLN	€ 139,00			
	SDS2000X-E-16LA	MSO function software for SDS2000X-E oscilloscope, 16-channel, 500 MSa/s, 14 Mpts	470,00 PLN	€ 109,00			
	SLA1016	MSO function hardware for SDS2000X-E oscilloscope, 16-channel, 500 MSa/s, 14 Mpts	1 250,00 PLN	€ 288,00			
	SDS2000X-E-WIFI	Software; wireless communication function; 802.11b/g/n, WPA-PSK	340,00 PLN	€ 79,00			
	TL-WN725N	Hardware; wireless communication function; 802.11b/g/n, WPA-PSK	180,00 PLN	€ 42,00			
SDS1100X HD	SDS1102X HD	100MHz, 2 channels, 2GSa/s, 12-bit high resolution, 100Mpts memory depth mixed signal oscilloscope; 12.1" touch screen	4 160,00 PLN	€ 959			
	SDS1104X HD	100MHz, 4 channels, 2GSa/s, 12-bit high resolution, 100Mpts memory depth mixed signal oscilloscope; 12.1" touch screen	4 770,00 PLN	€ 1 099			

SDS1000X HD	SDS1202X HD	200MHz, 2 channels, 2GSa/s, 12-bit high resolution, 100Mpts memory depth mixed signal oscilloscope; 12.1" touch screen	4 770,00 PLN	€ 1 099			
	SDS1204X HD	200MHz, 4 channels, 2GSa/s, 12-bit high resolution, 100Mpts memory depth mixed signal oscilloscope; 12.1" touch screen	5 640,00 PLN	€ 1 299			
SDS1000X HD options	SDS1000XHD-FG	25MHz waveform generator (software), need to use with SAG1021I	470,00 PLN	€ 109			
	SAG1021I	Isolated USB function/arbitrary waveform generator,125 Msa/s,16 kpts Arb Wave Length,Insulation Voltage, ±42 Vpk (Hardware)	600,00 PLN	€ 139			
	SDS1000XHD-16LA	16 digital channels (software), need to use with SLA1016	670,00 PLN	€ 155			
	SLA1016	MSO function hardware, 16-channel, 500 MSa/s, 14 Mpts	1 250,00 PLN	€ 288			
	SDS1000XHD-PA	Power Analysis (software)	1 300,00 PLN	€ 299			
	DF2001A	Deskew fixture for voltage and current probes	950,00 PLN	€ 219			
SDS800X HD	SDS802X HD	70MHz, 2 channels, 2GSa/s, 12-bit high resolution, 50Mpts memory depth mixed signal oscilloscope; 7" touch screen	1 560,00 PLN	€ 359			
	SDS804X HD	70MHz, 4 channels, 2GSa/s, 12-bit high resolution, 50Mpts memory depth mixed signal oscilloscope; 7" touch screen	1 780,00 PLN	€ 409			
	SDS812X HD	100MHz, 2 channels, 2GSa/s, 12-bit high resolution, 50Mpts memory depth mixed signal oscilloscope; 7" touch screen	1 780,00 PLN	€ 409			
	SDS814X HD	100MHz, 4 channels, 2GSa/s, 12-bit high resolution, 50Mpts memory depth mixed signal oscilloscope; 7" touch screen	2 170,00 PLN	€ 499			
	SDS822X HD	200MHz, 2 channels, 2GSa/s, 12-bit high resolution, 100Mpts memory depth mixed signal oscilloscope; 7" touch screen	2 340,00 PLN	€ 539			
	SDS824X HD	200MHz, 4 channels, 2GSa/s, 12-bit high resolution, 100Mpts memory depth mixed signal oscilloscope; 7" touch screen	3 040,00 PLN	€ 699			
SDS800X HD options	SDS800XHD-FG	25MHz waveform generator (software), need to use with SAG1021I	410,00 PLN	€ 95			
	SAG1021I	Isolated USB function/arbitrary waveform generator,125 Msa/s,16 kpts Arb Wave Length,Insulation Voltage, ±42 Vpk (Hardware)	600,00 PLN	€ 139			
	SDS800XHD-16LA	16 digital channels (software), need to use with SLA1016	410,00 PLN	€ 95			
	SLA1016	MSO function hardware, 16-channel, 500 MSa/s, 14 Mpts	1 250,00 PLN	€ 288			
	SDS800XHD-PA	Power Analysis (software)	1 040,00 PLN	€ 239			
	DF2001A	Deskew fixture for voltage and current probes	950,00 PLN	€ 219			
SDS1000X-E	SDS1202X-E	200 MHz;2 channels; 1 GSa/s; 14 M memory depth; 100,000 wfms waveform capture rate; 7" display (800*480 pixels); SPO technology,1 Mpts FFT, Serial bus triggering and decode (Standard), supports IIC, SPI, UART, RS232, CAN, and LIN	- PLN	€ 339,00			
	SDS1104X-E	100 MHz;4 channels; 1 GSa/s; 14 M memory depth; 100,000 wfms waveform capture rate; 7" display (800*480 pixels); SPO technology,1 Mpts FFT, Serial bus triggering and decode (Standard), supports IIC, SPI, UART, RS232, CAN, and LIN ; Support MSO, USB AWG, Bode Plot ; USB WIFI ;	- PLN	€ 429,00			
	SDS1204X-E	200 MHz;4 channels; 1 GSa/s; 14 M memory depth; 100,000 wfms waveform capture rate; 7" display (800*480 pixels); SPO technology,1 Mpts FFT, Serial bus triggering and decode (Standard), supports IIC, SPI, UART, RS232, CAN, and LIN ; Support MSO, USB AWG, Bode Plot ; USB WIFI ;	- PLN	€ 659,00			
SDS1000X-E Option	SDS1000X-E-FG	Software; 25 MHz Function/Arbitrary Waveform Generator	410,00 PLN	€ 95,00			
	SAG1021I	Hardware; 25 MHz Function/Arbitrary Waveform Generator	600,00 PLN	€ 139,00			
	SDS1000X-E-16LA	MSO function software for SDS1000X-E oscilloscope, 16-channel, 500 MSa/s, 14 Mpts	410,00 PLN	€ 95,00			
	SLA1016	MSO function hardware for SDS1000X-E oscilloscope, 16-channel, 500 MSa/s, 14 Mpts	1 250,00 PLN	€ 288,00			

		SDS1000X-E-WIFI	Software; wireless communication function; 802.11b/g/n, WPA-PSK	260,00 PLN	€ 60,00			
		TL-WN725N	Hardware; wireless communication function; 802.11b/g/n, WPA-PSK	180,00 PLN	€ 42,00			
	SDS1000X-U	SDS1104X-U	100 MHz;4 channels; 1 GSa/s; 14 M memory depth; 100,000 wfm/s waveform capture rate; 7" display (800*480 pixels); SPO technology,128 kpts FFT, Serial bus triggering and decode (Standard), supports IIC, SPI, UART, RS232, CAN, and LIN ;	1 560,00 PLN	€ 359,00			
Product	Series	Model	Specifications		Minimum Recommended Retailing Price			
Oscilloscope	SDS1000DL+ SDS1000CML+	SDS1052DL+	50MHz; 2 channels; 500MSa/s; 32K memory depth; 7" display(8*16div); Support USBTMC protocol and SCPI command	1 120,00 PLN	€ 259,00			
		SDS1102CML+	100MHz; 2 channels; 1GSa/s; 2M memory depth; 7" display(8*16div); Support USBTMC protocol and SCPI command	1 210,00 PLN	€ 279,00			
Handy Scope	SHS800X	SHS810X	100MHz; 2 channels, 1GSa/s; ·12M points memory depth; 1 Mpts FFT ; 6000 counts DMM; Includes Recorder mode, including Sample and Measurement Loggers ; IP Rating: IP51	2 990,00 PLN	€ 689,00			
		SHS820X	200MHz; 2 channels, 1GSa/s; ·12M points memory depth; 1 Mpts FFT ; 6000 counts DMM; Includes Recorder mode, including Sample and Measurement Loggers ; IP Rating: IP51	3 900,00 PLN	€ 899,00			
	SHS1000X	SHS1102X	100MHz; 2 isolated channels, 1GSa/s; ·12M points memory depth; 1 Mpts FFT ; 6000 counts DMM; Includes Recorder mode, including Sample and Measurement Loggers ; IP Rating: IP51 isolation level: CATII 1000V and CATIII 600V	6 080,00 PLN	€ 1 399,00			
		SHS1202X	200MHz; 2 isolated channels, 1GSa/s; ·12M points memory depth; 1 Mpts FFT ; 6000 counts DMM; Includes Recorder mode, including Sample and Measurement Loggers ; IP Rating: IP51 isolation level: CATII 1000V and CATIII 600V	7 380,00 PLN	€ 1 699,00			
Product	Series	Model	Specifications		Minimum Recommended Retailing Price			
		SDG810	10MHz; 1 channel; 125MSa/s; wave length: 16Kpts; function/arbitrary waveform output amplitude:4mV ~ 20Vpp (high impedance); modulation function(AM,DSB-AM,FM,PM,ASK,FSK,PWM,Sweep,Burst),EasyPulse technology	730,00 PLN	€ 169,00			
		SDG830	30MHz; 1 channel; 125MSa/s; wave length: 16Kpts; function/arbitrary waveform output amplitude:4mV ~ 20Vpp (high impedance); modulation function(AM,DSB-AM,FM,PM,ASK,FSK,PWM,Sweep,Burst),EasyPulse technology	860,00 PLN	€ 199,00			
	SDG1000X	SDG1032X	30MHz; 2 channels; 150MSa/s; wave length: 16Kpts; function/arbitrary waveform output amplitude:4mV ~ 20Vpp (high impedance); modulation function(AM,DSB-AM,FM,PM,ASK,FSK,PWM,Sweep,Burst);frequency counter function	1 260,00 PLN	€ 289,00			
		SDG1062X	60MHz; 2 channels; 150MSa/s; wave length: 16Kpts; function/arbitrary waveform output amplitude:4mV ~ 20Vpp (high impedance); modulation function(AM,DSB-AM,FM,PM,ASK,FSK,PWM,Sweep,Burst);frequency counter function	1 600,00 PLN	€ 369,00			
	SDG2000X	SDG2042X	40MHz; 2 channels; 1.2GSa/s; wave length: 8pts-8Mpts function/arbitrary waveform output; EasyPulse technology amplitude:2mV ~ 20Vpp (high impedance); modulation function(AM,DSB-AM,FM,PM,ASK,FSK,PWM,Sweep,Burst);frequency counter function	2 060,00 PLN	€ 475,00			
		SDG2082X	80MHz; 2 channels; 1.2GSa/s; wave length: 8pts-8Mpts function/arbitrary waveform output; EasyPulse technology amplitude:2mV ~ 20Vpp (high impedance); modulation function(AM,DSB-AM,FM,PM,ASK,FSK,PWM,Sweep,Burst);frequency counter function	2 560,00 PLN	€ 589,00			

	SDG2122X	120MHz; 2 channels; 1.2GSa/s; wave length: 8pts-8Mpts function/arbitrary waveform output; EasyPulse technology amplitude:2mV ~ 20Vpp (high impedance); modulation function(AM,DSB-AM,FM,PM,ASK,FSK,PWM,Sweep,Burst);frequency counter function	3 710,00 PLN	€ 855,00			
SDG6000X	SDG6022X	200 MHz; 2 channels; 2.4 GSa/s;16 bit; Arb-Waveform length: 2~20 Mpts; function/arbitrary waveform output; EasyPulse and TrueArb technology; modulation function (AM,DSB-AM, FM, PM, ASK, FSK, PWM,Sweep,Burst); frequency counter function,PRBS generator; IQ signal generator (Optional)	5 680,00 PLN	€ 1 309,00			
	SDG6032X	350MHz; 2 channels; 2.4GSa/s;16bit; Arb-Waveform length: 2~20Mpts; function/arbitrary waveform output; EasyPulse and TrueArb technology; modulation function(AM,DSB-AM, FM, PM, ASK, FSK, PWM,Sweep,Burst); frequency counter function,PRBS generator; IQ signal generator (Optional)	12 850,00 PLN	€ 2 959,00			
	SDG6052X	500MHz; 2 channels; 2.4GSa/s;16bit; Arb-Waveform length: 2~20Mpts; function/arbitrary waveform output; EasyPulse and TrueArb technology modulation function(AM,DSB-AM, FM, PM, ASK, FSK, PWM,Sweep,Burst); frequency counter function;PRBS generator; IQ signal generator (Optional)	20 060,00 PLN	€ 4 619,00			
	SDG-6000X-IQ	IQ Signal Generator Function	2 530,00 PLN	€ 583,00			

EasyPulse technology: Pulse width ≥ 12ns, 100ps resolution; Duty Cycle 0.0001% ~ 99.9999%; Rise/Fall time 6ns ~ 6s, 100ps resolution; Jitter (Cycle to Cycle) < 100ps(typical values, RMS)

Product	Series	Model	Specifications		Minimum Recommended Retailing Price (Euro/NET)			
Power Supply	SPD3303	SPD3303C	Precision three-way power independently controllable output: 30V/3A X2, switchable 2.5V/3.3V/5V/3A X1; Programmable four digits voltage, three digits current display; resolution 10mV, 10mA; LED display;	1 080,00 PLN	€ 249,00			
	SPD3303X	SPD3303X-E	Lan-Precision three-way power independently controllable output: 30V/3A X2, switchable 2.5V/3.3V/5V/3A X1; Programmable Lan-four digits voltage, three digits current display; resolution 10mV, 10mA; TFT-LCD display; Timer function; Waveform display function	1 610,00 PLN	€ 370,00			
		SPD3303X	Lan-Precision three-way power independently controllable output: 30V/3A X2, switchable 2.5V/3.3V/5V/3A X1; Programmable five digits voltage, four digits current display; resolution 1mV, 1mA; TFT-LCD display; Timer function; Waveform display function	2 210,00 PLN	€ 509,00			
	SPD1000X	SPD1168X	Single path high-precision programmable voltage output : 16 V/8 A, total power up to 128 W ; 5 digit Voltage, 4 digit Current Display, Minimum Resolution: 1 mV/1 mA ; Two-wire output mode, 4-wire	990,00 PLN	€ 229,00			
		SPD1305X	Single path high-precision programmable voltage output : 30 V/5 A, total power up to 150 W ; 5 digit Voltage, 4 digit Current Display, Minimum Resolution: 1 mV/1 mA ; Two-wire output mode, 4-wire	1 080,00 PLN	€ 249,00			
		SPS5041X	40V/30A/360W, Single channel switch mode power supply	3 640,00 PLN	€ 839,00			
		SPS5042X	40V/60A/720W, Single channel switch mode power supply	4 470,00 PLN	€ 1 029,00			
		SPS5043X	40V/90A/1080W, Single channel switch mode power supply	5 810,00 PLN	€ 1 339,00			
		SPS5044X	40V/30A/360W*2, two channels switch mode power supply	6 860,00 PLN	€ 1 579,00			

Wide Range Switched Mode Power Supply	SPS5000X	SPS5045X	40V/30A/360W*3, three channels switch mode power supply	8 160,00 PLN	€ 1 879,00		
		SPS5051X	50V/10A/180W, Single channel switch mode power supply	3 340,00 PLN	€ 769,00		
		SPS5081X	80V/15A/360W, Single channel switch mode power supply	4 340,00 PLN	€ 999,00		
		SPS5082X	80V/30A/720W, Single channel switch mode power supply	5 380,00 PLN	€ 1 239,00		
		SPS5083X	80V/45A/1080W, Single channel switch mode power supply	7 030,00 PLN	€ 1 619,00		
		SPS5084X	80V/15A/360W*2, two channels switch mode power supply	7 550,00 PLN	€ 1 739,00		
		SPS5085X	80V/15A/360W*3, three channels switch mode power supply	9 070,00 PLN	€ 2 089,00		
		SPS5161X	160V/7.5A/360W, Single channel switch mode power supply	4 340,00 PLN	€ 999,00		
		SPS5162X	160V/15A/720W, Single channel switch mode power supply	5 380,00 PLN	€ 1 239,00		
		SPS5163X	160V/22.5A/1080W, Single channel switch mode power supply	7 030,00 PLN	€ 1 619,00		
		SPS5164X	160V/7.5A/360W*2, two channels switch mode power supply	7 550,00 PLN	€ 1 739,00		
		SPS5165X	160V/7.5A/360W*3, three channels switch mode power supply	9 070,00 PLN	€ 2 089,00		
Electronic Load	SDL1000X SDL1000X-E	SDL1020X-E	200W ; DC150V/30A, CC Dynamic Mode 25KHz ; current rise time range 0.001-2.5A/us; 1mV/1mA;3.5' TFT-LCD; RS232/USB/LAN/GPIB	1 910,00 PLN	€ 439,00		
		SDL1020X	200W ; DC150V/30A, CC Dynamic Mode 25KHz ; current rise time range 0.001-2.5A/us; 0.1mV/0.1mA;3.5' TFT-LCD; RS232/USB/LAN/GPIB	2 600,00 PLN	€ 599,00		
		SDL1030X-E	300W ; DC150V/30A, CC Dynamic Mode 25KHz ; current rise time range 0.001-2.5A/us; 1mV/1mA;3.5' TFT-LCD; RS232/USB/LAN/GPIB	3 300,00 PLN	€ 759,00		
		SDL1030X	300W ; DC150V/30A, CC Dynamic Mode 25KHz ; current rise time range 0.001-2.5A/us; 0.1mV/0.1mA;3.5' TFT-LCD; RS232/USB/LAN/GPIB	4 290,00 PLN	€ 989,00		
Digital Multimeter	SDM3000	SDM3045X	4½-digit; 150rdgs / s measurement speed; 4.3 inch (480 * 272) true color TFT-LCD screen display; True RMS AC voltage and AC current measurements	1 600,00 PLN	€ 369,00		
		SDM3055	5½-digit; 150rdgs / s measurement speed; 4.3 inch (480 * 272) true color TFT-LCD screen display; True RMS AC voltage and AC current measurements	2 040,00 PLN	€ 469,00		
		SDM3055-SC	SDM3055+Scanner Card (SC1016)	3 030,00 PLN	€ 698,00		
		SDM3065X	6½-digit; 10000rdgs/s sampling speed; 4.3 inch (480 * 272) true color TFT-LCD screen display; True RMS AC voltage and AC current measurements; supports GPIB interface, Scanner card	2 990,00 PLN	€ 689,00		
		SDM3065X-SC	SDM3065X+Scanner Card (SC1016)	4 070,00 PLN	€ 938,00		
RF Signal Generator	SSG3000X	SSG3021X	9 K ~2.1 GHz; -110 dBm ~ +13 dBm; 0.01Hz frequency resolution, -110 dBc/Hz @1 Ghz, 20 kHz offset; 5 inch TFT touch-screen	8 680,00 PLN	€ 1 999,00		
		SSG3021X-IQE	9 K ~2.1 GHz; -110 dBm ~ +13 dBm; 0.01Hz frequency resolution, -110 dBc/Hz @1 Ghz, 20 kHz offset; 5 inch TFT touch-screen; With EIQ Function	18 670,00 PLN	€ 4 299,00		
		SSG3032X	9 K ~3.2 GHz; -110 dBm ~ +13 dBm; 0.01Hz frequency resolution, -110 dBc/Hz @1 Ghz, 20 kHz offset; 5 inch TFT touch-screen	15 190,00 PLN	€ 3 499,00		
		SSG3032X-IQE	9 K ~3.2 GHz; -110 dBm ~ +13 dBm; 0.01Hz frequency resolution, -110 dBc/Hz @1 Ghz, 20 kHz offset; 5 inch TFT touch-screen; With EIQ Function	24 750,00 PLN	€ 5 699,00		
		SSG3000X-PT	Pulse Train Generator (Option)	3 560,00 PLN	€ 819,00		
		SSG-RMK	Rack Mount kit	690,00 PLN	€ 159,00		
		SSG3000X-21BW32	Upgrade 2.1 GHz to 3.2 GHz	8 680,00 PLN	€ 1 999,00		
		SSG3000X-IQE-21BW32	Upgrade 2.1 GHz to 3.2 GHz (With EIQ Function)	8 680,00 PLN	€ 1 999,00		
		SSG5040X	9 k - 4 GHz; -140 dBm ~ +26 dBm; 0.001Hz frequency resolution, Phase noise -120 dBc/Hz @1 GHz, 20 kHz offset; 5 inch TFT touch-screen	23 010,00 PLN	€ 5 299,00		
		SSG5060X	9 k - 6 GHz; -140 dBm ~ +26 dBm; 0.001Hz frequency resolution, Phase noise -120 dBc/Hz @1 GHz, 20 kHz offset; 5 inch TFT touch-screen	31 570,00 PLN	€ 7 269,00		

RF Signal Generator	SSG5000X	SSG5040X-V	9 k - 4 GHz; -140 dBm ~ +26 dBm; 0.001Hz frequency resolution, Phase noise -120 dBc/Hz @1 GHz, 20 kHz offset; 5 inch TFT touch-screen; with 60 MHz internal IQ modulation	39 080,00 PLN	€ 8 999,00			
		SSG5060X-V	9 k - 6 GHz; -140 dBm ~ +26 dBm; 0.001Hz frequency resolution, Phase noise -120 dBc/Hz @1 GHz, 20 kHz offset; 5 inch TFT touch-screen; with 60 MHz internal IQ modulation	47 760,00 PLN	€ 10 999,00			
		SSG5000X-PT	Pulse train generator (SW)	3 560,00 PLN	€ 819,00			
		SSG5000XV-IOT	Zigbee & Zwave signals generation (SW)	5 280,00 PLN	€ 1 215,00			
		SSG5000XV_B150	Upgrade IQ bandwidth to 150 MHz (SW)	16 630,00 PLN	€ 3 829,00			
		SSG5000X_F60	Upgrade RF frequency to 6 GHz (SW)	22 620,00 PLN	€ 5 209,00			
		10M_OCXO_L	High accuracy clock source	4 510,00 PLN	€ 1 039,00			
Signal Generation PC Software	SigIQPro	SigIQPro-BT	Bluetooth Signals generation (software license, one license for one generator serial number)	21 320,00 PLN	€ 4 910,00			
		SigIQPro-IOT	IoT Signals generation (software license, one license for one generator serial number)	21 320,00 PLN	€ 4 910,00			
		SigIQPro-OFDM	Custom OFDM signal generation (software license, one license for one generator serial number)	21 320,00 PLN	€ 4 910,00			
Spectrum Analyzer	SSA3000X	SSA3021X	9KHz-2.1GHz, Phase Noise<-98dBc/Hz, RBW 10Hz-1MHz, Min. DANL -161dBm/Hz, Total Amplitude Accuracy<0.7dB, 10.1 Inch WVGA (1024x600) Display	5 640,00 PLN	€ 1 299,00			
		SSA3032X	9KHz-3.2GHz, Phase Noise<-98dBc/Hz, RBW 10Hz-1MHz, Min. DANL -161dBm/Hz, Total Amplitude Accuracy<0.7dB, 10.1 Inch WVGA (1024x600) Display	9 810,00 PLN	€ 2 259,00			
	SSA3000X Option	TG-SSA3000X	Tracking Generator Kit	730,00 PLN	€ 169,00			
		EMI-SSA3000X	EMI measurement kit	1 850,00 PLN	€ 425,00			
		AMK-SSA3000X	Advanced measurement kit ,including ACPR, CHPower, OBW and so on.	1 720,00 PLN	€ 395,00			
		SSA3000-RefI	Reflect measurement kit (SW)	1 600,00 PLN	€ 369,00			
		RB3X25	RB (1 MHz~2.5 GHz), N (M) -N (M) adaptor (2 pcs), for SSA3000X, SSA3000X Plus series	1 820,00 PLN	€ 419,00			
RBSSA3X25	SSA3000-RefI(SW) & RB3X25(HW), for SSA3000X, SSA3000X Plus series	2 430,00 PLN	€ 559,00					
Spectrum Analyzer	SSA3000X Plus	SSA3015X Plus	9KHz-1.5 GHz, Phase Noise<-98dBc/Hz, RBW 1Hz-1MHz, Min. DANL -161dBm/Hz, Total Amplitude Accuracy<0.7dB, 10.1 Inch WVGA(1024x600) Touch Screen	5 030,00 PLN	€ 1 159,00			
		SSA3021X Plus	9KHz-2.1GHz, Phase Noise<-98dBc/Hz, RBW 1Hz-1MHz, Min. DANL -161dBm/Hz, Total Amplitude Accuracy<0.7dB, 10.1 Inch WVGA(1024x600) Touch Screen	6 380,00 PLN	€ 1 469,00			
		SSA3032X Plus	9KHz-3.2GHz, Phase Noise<-98dBc/Hz, RBW 1Hz-1MHz, Min. DANL -161dBm/Hz, Total Amplitude Accuracy<0.7dB, 10.1 Inch WVGA (1024x600) Touch Screen	10 590,00 PLN	€ 2 439,00			
		SSA3075X Plus	9KHz-7.5GHz, Phase Noise<-98dBc/Hz, RBW 1Hz-1MHz, Min. DANL -165dBm/Hz, Total Amplitude Accuracy<0.7dB, 10.1 Inch WVGA (1024x600) Touch Screen	28 270,00 PLN	€ 6 509,00			
	SSA3000X Plus Option	SSA3000X PLUS-TG	Tracking Generator; 100 kHz - 2.1/3.2 GHz	730,00 PLN	€ 169,00			
		SSA3000X PLUS-EMI	EMI measurement kit; Filter Bandwidth: 200/9k/120k/1M	1 850,00 PLN	€ 425,00			
		SSA3000X PLUS-AMK	Advanced measurement kit ,including ACPR, CHPower, OBW and so on.	1 720,00 PLN	€ 395,00			
		SSA3000-RefI	Reflect measurement kit(SW) for SSA3000X, SSA3000X Plus	1 600,00 PLN	€ 369,00			
		RB3X25	RB (1 MHz~2.5 GHz), N (M) -N (M) adaptor (2 pcs), for SSA3000X, SSA3000X Plus series	1 820,00 PLN	€ 419,00			
		RBSSA3X25	SSA3000-RefI(SW) & RB3X25(HW), for SSA3000X, SSA3000X Plus series	2 430,00 PLN	€ 559,00			
		SSA3000X PLUS-DMA	Digital Modulation Analysis Function,including ASK, FSK, MSK, xPSK, xQAM	2 040,00 PLN	€ 469,00			
SSA3000X PLUS-AMA	Analog Modulation Analysis Function,including AM, FM	1 240,00 PLN	€ 286,00					
		SSA3032X-R	SA 9 kHz - 3.2 GHz; VNA 100kHz~3.2GHz; RBW 1 Hz - 3 MHz; DANL -165 dBm/Hz; Phase Noise <-98 dBc/Hz; Real Time Band Width 25 MHz(Option 40 MHz); RTSA Measurement: Density, Spectrogram, 3D, PvT, Standard VNA and DTF function	17 350,00 PLN	€ 3 995,00			

Real-Time Spectrum Analyzer	SSA3000X-R	SSA3050X-R	SA 9 kHz - 5 GHz; RBW 1 Hz - 3 MHz; DANL -165 dBm/Hz; Phase Noise <-98 dBc/Hz; Real Time Band Width 25 MHz, 40 MHz; RTSA Measurement: Density, Spectrogram, 3D, PvT, Standard VNA and DTF function	32 550,00 PLN	€ 7 495,00				
		SSA3075X-R	SA 9 kHz - 7.5 GHz; RBW 1 Hz - 3 MHz; DANL -165 dBm/Hz; Phase Noise <-98 dBc/Hz; Real Time Band Width 25 MHz, 40 MHz; RTSA Measurement: Density, Spectrogram, 3D, PvT, Standard VNA and DTF function	39 580,00 PLN	€ 9 115,00				
	SSA3000X-R Options	SSA3000XR-AMK	Advanced Measurement Kit	2 240,00 PLN	€ 515,00				
		SSA3000XR-EMI	EMI Measurement Mode in SSA3000X-R	3 240,00 PLN	€ 745,00				
		SSA3000XR-AMA	Analog Modulation Analysis: AM, FM	1 850,00 PLN	€ 425,00				
		SSA3000XR-WDMA	Wideband-Digital Modulation Analysis: ASK, FSK, MSK, PSK, QAM	3 930,00 PLN	€ 905,00				
	SSA3000XR-RT40	40 MHz Real-Time BandWidth	5 450,00 PLN	€ 1 255,00					
Spectrum & Vector Network Analyzer	SVA1000X	SVA1015X	9 KHz - 1.5 GHz SA, 10MHz - 1.5GHz VNA, Phase Noise < -98 dBc/Hz, RBW 1 Hz - 1 MHz, Min. DANL -156 dBm/Hz, Total Amplitude Accuracy<1.2 dB, Support TG; 10.1 Inch WVGA (1024 x 600) Multi-touch Screen; Options: Distance to Fault ,Advanced Measurement, EMI Pre-test Function, Modulation Analysis (AMA/DMA)	5 900,00 PLN	€ 1 359,00				
		SVA1032X	9 KHz - 3.2 GHz SA, 100kHz-3.2GHz VNA, Phase Noise < -98 dBc/Hz, RBW 1 Hz - 1 MHz, Min. DANL -161 dBm/Hz, Total Amplitude Accuracy<0.7 dB, Support TG; 10.1 Inch WVGA (1024 x 600) Multi-touch Screen; Options: Distance to Fault ,Advanced Measurement, EMI Pre-test Function , Modulation Analysis (AMA/DMA)	12 890,00 PLN	€ 2 969,00				
		SVA1075X	9 KHz - 7.5 GHz SA, 100kHz-7.5GHz VNA, Phase Noise < -98 dBc/Hz, RBW 1 Hz - 1 MHz, Min. DANL -165 dBm/Hz, Total Amplitude Accuracy<0.7 dB, Support TG; 10.1 Inch WVGA (1024 x 600) Multi-touch Screen; Options: Distance to Fault ,Advanced Measurement, EMI Pre-test Function , Modulation Analysis (AMA/DMA)	33 040,00 PLN	€ 7 609,00				
	SVA1000X Options	SVA1000X-AMK	Advanced measurement kit ,including ACPR, CHPower, OBW and so on.	1 580,00 PLN	€ 364,00				
		SVA1000X-EMI	EMI measurement kit	1 690,00 PLN	€ 389,00				
		SVA1000X-DTF	Distance To Fault	1 080,00 PLN	€ 249,00				
		SVA1000X-DMA	Digital Modulation Analysis Function,including ASK, FSK	2 040,00 PLN	€ 469,00				
		SVA1000X-AMA	Analog Modulation Analysis Function,including AM, FM	1 240,00 PLN	€ 286,00				
	Handheld Analyzer	SHA800A	SHA851A	9 kHz~3.6 GHz handheld spectrum analyzer, 100 kHz~3.6 GHz cable and antenna analyzer, -165 dBm/Hz Displayed Average Noise Level (Typ.), -104 dBc/Hz.@10 kHz Offset Phase Noise (1 GHz, Typ.), standard preamplifier, 8.4" touch screen, 4 hours working time	16 980,00 PLN	€ 3 910,00			
			SHA852A	9 kHz~7.5 GHz handheld spectrum analyzer, 100 kHz~7.5 GHz cable and antenna analyzer, -165 dBm/Hz Displayed Average Noise Level (Typ.), -104 dBc/Hz.@10 kHz Offset Phase Noise (1 GHz, Typ.), standard preamplifier, 8.4" touch screen, 4 hours working time	28 140,00 PLN	€ 6 480,00			
		SHA850-F2	Upgrade SHA851A to SHA852A (SW)	14 680,00 PLN	€ 3 380,00				
		SHA850-SOR	100 kHz~3.6/ 7.5 GHz independent source, -40 dBm ~ 0 dBm (SW)	1 190,00 PLN	€ 273,00				
		SHA850-VNA	100 kHz-3.6/7.5 GHz vector network analyzer, vector S11 and S21 measurement (SW)	4 060,00 PLN	€ 936,00				
		SHA850-AMK	Advanced Measurement Kit (SW)	1 590,00 PLN	€ 367,00				
		SHA850-AMA	Analog Modulation Analysis (SW)	1 350,00 PLN	€ 311,00				
		SHA850-DMA	Digital Modulation Analysis (SW)	2 420,00 PLN	€ 557,00				
		SHA850-BIAS	DC Bias Out, 12V-32V (SW)	530,00 PLN	€ 121,00				
		SHA850-GPS	GPS Receiver (SW)	690,00 PLN	€ 159,00				
		SHA850-MAP	Indoor and outdoor map (SW)	690,00 PLN	€ 159,00				
		SHA800-BAT	Rechargeable lithium battery	690,00 PLN	€ 159,00				
		SHA800-AP	AC-DC adapter	120,00 PLN	€ 27,00				
		SHA800-BG	Portable bag	280,00 PLN	€ 64,00				
		ANT-GPS1	GPS antenna, SMA(M), 100cm	70,00 PLN	€ 17,00				

	SHA800A Options	ANT-DA1	Directional Antenna Suit, N type, ANT-DA11 antenna (10MHz~200MHz), ANT-DA12 antenna (200MHz~500MHz), ANT-DA13 antenna (500MHz~8GHz), Amplifier handle 12dB@1GHz(typ.)	26 270,00 PLN	€ 6 050,07			
		ANT-DA11	Contains amplifier handle and 10MHz ~ 200MHz antenna. Antenna gain 10dB (typical value); SWR <1:1.9 (typical value); 50Ω/N type, female; polarization direction horizontal and vertical	11 060,00 PLN	€ 2 545,80			
		ANT-DA12	Contains amplifier handle and 200MHz ~ 500MHz antenna. Antenna gain 10dB (typical value); SWR <1:1.9 (typical value); 50Ω/N type, female; polarization direction horizontal and vertical	11 060,00 PLN	€ 2 545,80			
		ANT-DA13	Contains amplifier handle and 500MHz ~ 8GHz antenna. Antenna gain 10dB (typical value); SWR <1:1.9 (typical value); 50Ω/N type, female; polarization direction horizontal and vertical	13 110,00 PLN	€ 3 019,35			
Vector Network Analyzer Accessories	VNA Calibration Kit	F503ME	Mechanical Calibration Kit: OSLT, DC - 4.5 GHz, N-Male connector	1 470,00 PLN	€ 339,00			
		F503FE	Mechanical Calibration Kit: OSLT, DC - 4.5 GHz, N-Female connector	1 470,00 PLN	€ 339,00			
		F603ME	Mechanical Calibration Kit: OSLT, DC - 4.5 GHz, 3.5mm SMA-Male connector	1 820,00 PLN	€ 419,00			
		F603FE	Mechanical Calibration Kit: OSLT, DC - 4.5 GHz, 3.5mm SMA-Female connector	1 820,00 PLN	€ 419,00			
		F504MS	Mechanical Calibration Kit: OSLT, DC - 9 GHz, N-Male connector	5 510,00 PLN	€ 1 269,00			
		F504FS	Mechanical Calibration Kit: OSLT, DC - 9 GHz, N-Female connector	5 510,00 PLN	€ 1 269,00			
		F604MS	Mechanical Calibration Kit: OSLT, DC - 9 GHz, 3.5mm SMA-Male connector	6 510,00 PLN	€ 1 499,00			
		F604FS	Mechanical Calibration Kit: OSLT, DC - 9 GHz, 3.5mm SMA-Female connector	6 510,00 PLN	€ 1 499,00			
		F604TS	Mechanical Calibration Kit: OSLT, DC - 9 GHz, 3.5mm-Male and Female connector	10 980,00 PLN	€ 2 529,00			
General Accessories	General Accessories for Spectrum Analyzer	UKitSSA3X	Utility Kit: N (M) -SMA (M) cable, N (M) -N (M) cable, N (M) -BNC (F) adaptor (2 pcs), N (M) -SMA (F) adaptor (2 pcs), 10 dB attenuator	1 020,00 PLN	€ 235,00			
		N-SMA-6L	N-SMA cable, 6GHz bandwidth	200,00 PLN	€ 45,00			
		N-N-6L	N-N cable, 6GHz bandwidth	200,00 PLN	€ 45,00			
		N-BNC-2L	N-BNC cable, 2GHz bandwidth	150,00 PLN	€ 35,00			
		N-N-18L	N(M)-N(M) cable, 18 GHz	950,00 PLN	€ 219,00			
		N-SMA-18L	N(M)-SMA(M) cable, 18 GHz	950,00 PLN	€ 219,00			
Product	Series	Model	Specifications		Minimum Recommended Retailing Price (Euro/NET)			
Soft Carry Bag	BAG-S1		Soft Carry Case for SDS1000DL+/CML+, SDS1000X, SDS1000X-E, SDS2000X-E Series	260,00 PLN	€ 59,00			
Soft Carry Bag	Bag-S2		Soft Carry Case for SDS2000X, SDS5000X, SSA3000X, SVA1000X	520,00 PLN	€ 119,00			
Soft Carry Bag	Bag-S3		Soft Carry Bag for SAP probes, UkitSSA3X, RB3X25	80,00 PLN	€ 19,00			
Soft Carry Bag	Bag-H1		Soft Carry Case for SHS800X/SHS1000X	170,00 PLN	€ 39,00			

Transport Case	CASE-S1	Hard covve transport case for SNA5000, SSA5000, SDS6000 series	1 550,00 PLN	€ 356,00			
Protective Cover	FC1	Protective Cover for SNA5000A, SDS6000A	410,00 PLN	€ 95,00			
Rack Mount kit	SDS6000-RMK	Rack Mount kit for SDS6000A, SNA5000A, SSA5000A; Height 7U	1 430,00 PLN	€ 329,00			
	SDS5000X-RMK	Rack Mount kit for SDS5000X	1 340,00 PLN	€ 309,00			
	SDS2000-RMK	Rackmount kit is designed for use with only one instrument, is compatible with the SDS2000 series Oscilloscope	540,00 PLN	€ 125,00			
	SDS2000HD-RMK	Rack Mount kit for SDS2000X HD; Height 6U(exactly 260mm)	980,00 PLN	€ 225,00			
	SDS1000X-E-RMK	Rackmount kit , compatible with the SDS1000X-E model	540,00 PLN	€ 125,00			
	SDG-RMK	Rackmount kit , compatible with the SDG800, SDG1000 , SDG1000X,SDG2000X,SDG5000 and SDG6000X series function generator and SDM3045X, SDM3055, SDM3065X digital multimeter	540,00 PLN	€ 125,00			
	SDG-2-RMK	Rackmount kit for two intruments , compatible with the SDG800, SDG1000 , SDG1000X,SDG2000X,SDG5000 and SDG6000X series function generator and SDM3045X, SDM3055, SDM3065X digital multimeter	370,00 PLN	€ 85,00			
	SSG-RMK	Rack Mount kit; SSG3000X, SSG5000X, SSG5000A, SDG7000A; Height 3U	690,00 PLN	159			
	SSA-RMK	Rackmount kit , compatible with the SSA3000X, SSA3000X plus, SSA3000X-R and SVA1000X	590,00 PLN	€ 135,00			
	SPD3000-RMK	Rackmount kit , compatible with the SPD3000X/X-E/D/S/C models	590,00 PLN	€ 135,00			
	SPS5000X-RMK	SPS5000X EIA Standard rack, height 3U	800,00 PLN	185			
	SDM-PB	one pair of multimeter pen test leads (1000V), (Accessory for SDM3000)	70,00 PLN	€ 15,00			
GPIB	USB-GPIB	USB-GPIB Adapter, USB Device expanded into GPIB interface.	530,00 PLN	€ 123,00			
Probe Adpater	LPA10	Active Probe Adapter, work with Lecroy ZD1000 and AP033, compatible with SDS5000X Series	1 040,00 PLN	€ 239			
	TPA10	SDS5000X Series Active Probe Adapter, Bandwidth 4GHz, support Tektronix TekProbe interface level II.	1 300,00 PLN	€ 299			
Probe Accessories &	PAK1	Probe Accessories Kit for PB470, PP510, PP215, PP430, SP2030A, SP2035A, SP2035	30,00 PLN	€ 8			

Accessories

Kits	PAK2	Probe Accessories Kit for SP3050A	70,00 PLN	€ 15			
	SAP-ST1	5 pcs in a box, Straight Tip, for SAP1000, SAP2500, SAP2500D ; The straight tip is rugged and designed for general probing. Fits in either probe socket.	200,00 PLN	€ 45			
Probe Accessories & Kits	SAP-PT	5 pcs in a box, Pogo Tip, for SAP1000, SAP2500, SAP2500D ; The pogo tip provides z axis compliance. The tip can fit into a socket or via and onto an IC leg.	130,00 PLN	€ 30			
	SAP1-kit	Probe kits for SAP1000,SAP2500 ; including Straight Tip *5, Pogo Tip *5,L In Adapter *1,Z Ground *1,Y Lead Adapter *1,Right Angle Pin Lead 5 cm *1,Straight Pin Lead 6 cm *1,Right Angle Pin Lead 10 cm *1,Straight Pin Lead12 cm *1, Channel ID Clips (Set of 4	1 080,00 PLN	€ 248			
	SAP2-kit	Probe kits for SAP2500D, including Straight Tip *5, Pogo Tip *5,Swivel Tip *2,Tip Saver *2,Y Lead Adapter *2,Right Angle Pin Lead 5 cm *1, Straight Pin Lead 6 cm *1, Straight Pin Lead	1 290,00 PLN	€ 298			
	PB470	1X/10X attenuation, 85/18pf, 1M/10Mohm, 6M/70MHz, 300V/600V, operating temperature -15 to 75 degrees	70,00 PLN	€ 16,00			
Passive Probes	PP510	1X/10X attenuation, 85/18pf, 1M/10Mohm, 6M/100MHz, 300V/600V, operating temperature -15 to 75 degrees	90,00 PLN	€ 21,00			
	PP215	1X/10X attenuation, 85/16pf, 1M/10Mohm, 6M/200MHz, 300V/600V, operating temperature -15 to 75 degrees	130,00 PLN	€ 30,00			
	PB925	10X CAT II 1000V, CAT III 600V, 250M-bandwidth, SHS1000 handheld oscilloscope option	440,00 PLN	€ 102,00			
	SP2035	10X attenuation,12pf,10Mohm, 350MHz,CAT II 300Vrms,operating temperature -10 to 55 degrees	240,00 PLN	€ 55,00			
	SP2035A	10X attenuation,12 pf,10 Mohm, 350 MHz,CAT II 300 Vrms,operating temperature -10 to 55 degrees	270,00 PLN	€ 63,00			
	SP3050A	10X attenuation,11 pf,10 Mohm, 500 MHz,CAT II 400 Vrms,operating temperature 0 to 50 degrees	470,00 PLN	€ 109,00			
	SP3150A	10X attenuation,11 pf,10 Mohm, 500 MHz,CAT II 400 Vrms,operating temperature 0 to 50 degrees (SDS6000A only)	470,00 PLN	€ 109,00			
	Active Probes	SAP1000	Active Probe, 1 GHz	3 770,00 PLN	€ 869,00		
SAP2500		Active Probe, 2.5 GHz	6 250,00 PLN	€ 1 439,00			
SAP2500D		Differential Active Probe, 2.5 GHz	10 240,00 PLN	€ 2 359,00			
CPL5100	CPL5100	Bandwidth: DC-600 kHz ; Current Range: L(50mA~10A Peak), H(1A~100A Peak); Attenuation accuracy L(0.1V/A), H(0.01V/A); Typical DC precision: L(3%±50mA),H(500mA~40A Peak : 4%±50mA ; 40A~100A Peak : ±15% Maximum); Rise Time: ≤583ns; Operating voltage RMS: CATI 600V CATII 600V CATIII 300V; 9V alkaline laver-built battery/ 15H	1 780,00 PLN	€ 409,00			
	CP4020	Bandwidth: 100KHz; Maximum continuous current 20Arms; Peak current 60A; Switching ratio: 50mV/A; 5mV/A; DC measurement accuracy: 50mV/A (0.4A-10Apk) ± 2%; 5mV/A (1A-60Apk)±2%; 9V battery-powered	1 780,00 PLN	€ 409,00			
	CP4050	Bandwidth: 1MHz; Maximum continuous current 50Arms; Peak current 140A; Switching ratio: 500mV/A; 50mV/A; DC measurement measurement accuracy: 500mV/A (20mA-14Apk) ±3%±20mA; 50mV/A (200mA-100Apk)±4%± 200mA; 50mV/A (100A-140Apk)±15% max; 9V battery-powered	4 420,00 PLN	€ 1 017,00			

Current Probe	CP4070	Bandwidth: 300kHz; Maximum continuous current 70Arms; Peak current 200A; Switching ratio : 50mV/A、 5mV/A; DC measurement accuracy: 50mV/A (0.4A-10ApK) ±2%、 5mV/A (1A-200ApK)±2%; 9V battery-powered	2 710,00 PLN	€ 625,00			
	CP4070A	Bandwidth: 300kHz; Maximum continuous current 70Arms; Peak current 200A; Switching ratio : 100mV/A、 10mV/A; DC measurement accuracy : 100mV/A (50mA-10ApK) ±3%±50mA、 10mV/A (500mA-40ApK) ±4%±50mA、 10mV/A (40A-200ApK) ±15%max; 9V battery powered	3 070,00 PLN	€ 708,00			
	CP6030	Bandwidth: 50MHz; Maximum continuous current 30Arms; Peak current 50A; Switching ratio: 5A/30A; Accuracy: 5A(±1%±1mA); 30A(±1%±10mA); Standard DC12V/1.2A power adapter	9 020,00 PLN	€ 2 077,00			
	CP6030A	Bandwidth: 100MHz; Maximum continuous current 30Arms; Peak current 50A; Switching ratio : 5A/30; Accuracy : 5A(±1%±1mA);30A(±1%±10mA); Standard DC12V/1.2A power adapter	12 390,00 PLN	€ 2 853,50			
	CP6150	Bandwidth: 12MHz; Maximum continuous current 150Arms; Peak current 300A; Switching ratio: 30A/150A; Accuracy : 30A(±1%±10mA);150A(±1%±100mA); Standard DC12V/1.2A power adapter	17 350,00 PLN	€ 3 995,00			
	CP6500	Bandwidth: 5MHz; Maximum continuous current 500Arms; Peak current 750A; Switching ratio: 75A/500A; Accuracy : 75A(±1%±10mA);500A(±1%±100mA); Standard DC12V/1.2A power adapter	23 210,00 PLN	€ 5 345,00			
SAPBUS Interface	SCP5030	Bandwidth: 50MHz; Maximum continuous current 30Arms; Peak current 50A; Switching ratio : 5A/30A; Accuracy : 5A(±1%±1mA);30A(±1%±10mA); Powered by oscilloscope through SAPBUS interface	8 160,00 PLN	€ 1 880			
	SCP5030A	Bandwidth: 100 MHz; Maximum continuous current 30 Arms; Peak current 50 A; Switching ratio: 5 A/30; Accuracy: 5 A(±1%±1 mA); 30 A(±1%±10 mA); Powered by oscilloscope through SAPBUS interface	11 200,00 PLN	€ 2 580			
	SCP5150	Bandwidth: 12 MHz; Maximum continuous current 150 Arms; Peak current 300 A; Switching ratio: 30 A/150 A; Accuracy: 30 A(±1%±10 mA); 150 A(±1%±100 mA); Powered by oscilloscope through SAPBUS interface	12 940,00 PLN	€ 2 980			
	SCP5500	Bandwidth: 2 MHz; Maximum continuous current 500 Arms; Peak current 750 A; Switching ratio: 75 A/500 A; Accuracy: 75 A(±1%±10 mA); 500 A(±1%±100 mA); Powered by oscilloscope through SAPBUS interface	20 320,00 PLN	€ 4 680			
Differential Probe	DPB1300	Bandwidth: 50MHz; Rise Time ≤7ns; DC Accuracy ±2%; Max Input: 600 V CATIII, 1000 V CATII; Max Differential Test Voltage (DC + Peak AC): 50 X: ±130 V, 500 X: ±1300 V. Input impedance/capacitance: 5 MΩ/<4 pF(Single-ended), 10 MΩ/< 2 pF(Two inputs); DC 12 V/1.2 A Power	1 730,00 PLN	€ 399,00			
	DPB5150	Bandwidth: 70MHz; Maximum input differential voltage 1500V (DC + Peak AC); Range selection (attenuation ratio): 50X/500X; Accuracy: ±2%; Standard 5V/1A USB power adapter	3 580,00 PLN	€ 825,00			
	DPB5150A	Bandwidth: 100MHz; Maximum input differential voltage 1500V (DC + Peak AC) ;Range selection (attenuation ratio): 50X/500X; Accuracy: ±2%; Standard 5V/1A USB power adapter	4 690,00 PLN	€ 1 080,00			

		DPB5700	Bandwidth: 70MHz; Maximum input differential voltage 7000V (DC + Peak AC) ;Range selection (attenuation ratio): 100X/1000X; Accuracy: ±2%; Standard 5V/1A USB power adapter	6 900,00 PLN	€ 1 590,00			
		DPB5700A	Bandwidth: 100MHz; Maximum input differential voltage 7000V (DC + Peak AC) ;Range selection (attenuation ratio): 100X/1000X; Accuracy: ±2%; Standard 5V/1A USB power adapter	9 070,00 PLN	€ 2 089,00			
	Deskew Fixture	DF2001A	Deskew fixture for voltage and current probes	950,00 PLN	€ 219,00			
Accessories	High Voltage Probe	HPB4010	Bandwidth: 40MHz; Maximum input differential voltage DC : 10KV; AC (rms) : 7KV (sine) ;AC (Vpp) : 20KV (Pulse) ;attenuation ratio1:1000; Accuracy : ≤3%	1 990,00 PLN	€ 459,00			
	Near-field probe	SRF5030T	Three magnetic field near-field probes and one electric field near field probe; Frequency range: 300kHz ~ 3GHz; resolution 25mm; distinguished within 10cm range of the magnetic field; for EMI radiation interference and the intensity detector	2 170,00 PLN	€ 499,00			
	Attenuator	ATT-20dB	20 dB Attenuator	230,00 PLN	€ 52,00			
	BNC cable	SDG-BNC	For SDG2000X(Standard)	60,00 PLN	€ 13,00			
	SPD cables	SPD-Cable-1	Alligator clip to banana plug, length 600 mm, black and red as a pair	40,00 PLN	€ 9,00			
		SPD-Cable-2	Alligator clip to U type, length 600 mm, black and red as a pair	40,00 PLN	€ 9,00			
	SPS5000X cables	SPS5000X-SEC	SPS5000X Series cable	120,00 PLN	€ 28,00			
		SPS5000X-PAC	SPS5000X Parallel cable	170,00 PLN	€ 39,00			
	SDL-Cable	SDL-Cable	30 A Test Lead	100,00 PLN	€ 23,00			
	Logic probe clips	SPL-C1	Logic probe clips for SPL2016	340,00 PLN	€ 79,00			
	STB Test board	STB-3	For experimental teaching and product demos	820,00 PLN	€ 189,00			
	RF Test board	SNA-TB01	Board integrated with RF components like amplifier, mixer, filter for vector network analyzer demonstration	4 030,00 PLN	€ 927,00			
	SHS1000/SHS800 Battery	SHS-BAT	7.4V,5400mAh	200,00 PLN	€ 45,00			
	SHS1000X/SHS800X Battery	RRC2057	7.2V 6900mAh, SHS800X, SHS1000X battery	430,00 PLN	€ 99,00			
	Smart Battery Charger	GSCH4000A	Smart Battery Charger for SHS800X/SHS1000X Series	860,00 PLN	€ 198,00			
SHS800X Current Plug-	SCD600mA	SHS800X, SHS1000X current measurement accessory, 600 mA range	50,00 PLN	€ 11,00				

in	SCD10A	SHS800X, SHS1000X current measurement accessory, 10 A range	50,00 PLN	€ 11,00			
Current Plug-in	SCD30A	Digital multimeter 30A current shunt-1mV/A, DC ~ 1 kHz ±0.3%, 1 kHz ~ 5 kHz ±5%, 30Vac RMS MAX, 60Vdc MAX (only compatible with SDM series multimeters which are 4 1/2 or above)	360,00 PLN	€ 82,00			
SDM3000 Scanner Card	SC1016	ONLY for SDM3055-SC and SDM3065X-SC; THIS IS NO UPGRADE KIT. A multiplexer that provides multi-point measurement capabilities to the SDM3000-SC series of digital multimeters. The scanner features 12 multi-purpose + 4 current channels and supports the following measurement functions: DCV, ACV, DCI, ACI, 2WR, 4WR, CAP, FREQ, DIODE, CONT and TEMP (RTD and Thermocouple). Customer can buy several cards to exchange for different use.	1 080,00 PLN	€ 249,00			













